



SMD LED bulb, capsule, 3W/350lm, G4 base, 4000K



PACKING	INNER	MASTER
/	pcs	pcs
Hangable colour box	500	1000



DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CHARACTERISTICAS / SPEZIFIKATIONEN

Power supply:	AC/DC
Batteries included:	YES
Type of power supply:	INTERNAL DRIVER
Light bulb technology:	LED SMD
Power (W):	3
(W) Consumption:	3
Equivalent incandescent power (W):	35
Lumen:	350
Kelvin degrees:	4000K
Colour rendering Index :	>80
Light beam:	DIFFUSE
Beam angle:	300
LED Life time (hrs):	20000
Materials:	PLASTIC - OTHER
Dimmable:	NO
On off cycles:	>10000
Lamp holder:	G4
Lamp included:	YES
Temperature range (°C):	-20C / +40C
Guarantee:	2 YEARS
Product width (mm):	90
Product depth (mm):	20
Product height (mm):	110
Net weight kg):	0,01
Energy rating 2021:	F

DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG

Energy Saving - Velamp 3W G4 LED Bulbs: Replacement for 30W halogen bulbs, so you can save 90% on your electricity bill. Less replacement and longer life. Premium Quality - Contains no filament or mercury. The warm white G4 LED bulb protects your eyes and creates a comfortable atmosphere. VELAMP LED bulbs are CE certified, safe for your family and the environment. Wide Application: This LED lamp is suitable for all 12V LED lamps, standard G4 base. It is quick and easy to install. G4 LED bulb Ideal for kitchens, living rooms, bedrooms and hallways, chandeliers, spotlights... Super Bright - G4 LED Light Bulb with SMD2835 LEDs, 300° Beam Angle, Natural White 4000K, CRI>80 (for true color rendering), Flicker Free, Low Heat Generation, Low Power Consumption, Long Life of life. Attention - Please check the size carefully before purchasing and see if it fits your fixture. (Size: 44mm x 13mm); The bulb is not dimmable, please do not use it with a dimmer. 12V.

DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN

Packing type:	Hangable colour box
Length of the packed product (mm):	79
Packed product width (mm):	12
Height of packed product (mm):	99
Inner quantity:	500
Master quantity:	1000
ITF INNER:	18003910112909
ITF MASTER:	28003910112906
DEEE (France only):	0.1
Energy Label 2021:	https://www.velamp.com/energylabels2021/LB916-40K.jpg
Link database eprel:	http://eprel.ec.europa.eu/qr/1550467

