

# Ersa **soldering station DIGITAL 2000 A**



The Ersa **DIGITAL 2000 A** is a top-class microprocessor controlled soldering station distinguished by its flexibility and multifunctionality. It is antistatic according to the MILSPEC/ESA standard and designed for industrial use where high quality is demanded and for repairs and laboratory applications.

The station can alternatively be operated with various soldering and desoldering tools. Besides the POWER TOOL and TECH TOOL universal soldering irons, the CHIP TOOL desoldering tweezers can be connected.

The tools are automatically detected when inserted, and the control characteristics are adapted accordingly. The soldering and desoldering tips are then always connected with high impedance to the front-installed potential equalization socket.

By just three buttons and a simple menu guide the desired temperatures, the unit of temperature (°C/°F), the standby time of 0 to 60 minutes, a tip offset and calibration feature and a three-character password-controlled lock can all be set.

The calibration feature allows the actual soldering tip temperature to be precisely adjusted to the temperature shown in the LED display. For this purpose a suitable soldering tip temperature measuring device, such as the Ersa DTM series (see page 31), is required.

The Ersa DIGITAL 2000 A soldering station regulates the temperature through a digital PID algorithm, optimized for very precise and fast temperature control.

All connectable soldering and desoldering devices have enormous power reserves thanks to the PTC heating elements located inside the tips.

At a tip temperature of 280 °C the following power is available, for example:

- POWER TOOL – 105 W
- TECH TOOL – 70 W
- CHIP TOOL – 2 x 30 W

All soldering and desoldering tools are operated at the low voltage of 24 V and have a highly flexible, heat-resistant and antistatic connecting cable.

For tip changes we recommend the tip exchanger 3ZT00164 with flat nose pliers and side cutter (see page 32).



## DIG20A84

with POWER TOOL soldering iron and Ersa SENSOTRONIC control system  
**Soldering tip series 832 and 842**, see page 40, fig. with 0A08MSET



## POWER TOOL

with Ersa SENSOTRONIC control system  
**Soldering tip series 832 and 842**, see page 40



## TECH TOOL

with Ersa SENSOTRONIC control system  
**Soldering tip series 612**, see page 41



## CHIP TOOL

with Ersa RESISTRONIC control system  
**Desoldering tip series 422/452**, see page 43

Order no.	Description	Rating/ Voltage	Heating time	Temperature range	Weight (w/o cable )
0DIG20A84	DIGITAL 2000 A electronic station, complete, with POWER TOOL soldering iron 0840CDJ with soldering tip 0842CDLF and holder 0A42, complete	80 W/230 V, 50 – 60 Hz/24 V 80 W (350 °C)	approx. 40 s (280 °C)	50 – 450 °C	1,25 kg approx. 50 g
0DIG20A64	DIGITAL 2000 A electronic station, complete, with TECH TOOL soldering iron 0640ADJ with soldering tip 0612ADLF and holder 0A42, complete	80 W/230 V, 50 – 60 Hz/24 V 60 W (350 °C)	approx. 12 s (280 °C)	50 – 450 °C	approx. 50 g
0DIG20A45	DIGITAL 2000 A electronic station, complete, with CHIP TOOL desoldering tweezers 0450MDJ with tips 0452MDLF020 and holder 0A43, complete	80 W/230 V, 50 – 60 Hz/24 V 2 x 20 W (350 °C)	subject to tips	150 – 450 °C	approx. 75 g