

Standard tools




# INFO

## Screwdrivers range

## Industrial quality

### The HAUPA screwdriver series features:

- homogenous size adjustment of the screwdriver handles for better power transmission. Enlargement of soft zone
- elegant, ergonomically shaped, non-slip 2-component handles made from PP/TPE material
- injected blade profile, for easy access in the tool case. Abrasion not possible!
- magnetic blade for secure hold of screws High-gripsystem
- blade made from molybdenum vanadium steel
- an addition anti-slip protection on Phillips profiles prevents the tool from slipping out of the screw



Roll repressive

## 2-component screwdrivers

### 2-component Electricians' screwdrivers

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated with black point



Art. no.	CW	KSt	BL	TL	kg	PU
101604	<b>2,5</b>	0,4	75	160	0,027	1
101606	<b>4</b>	0,8	100	195	0,051	1
101608	<b>4</b>	0,8	125	220	0,054	1
101610	<b>5</b>	1,0	150	245	0,067	1
101612	<b>5</b>	1,0	175	270	0,069	1
101614	<b>5</b>	1,0	200	295	0,074	1

### 2-component Engineers' screwdrivers

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated



Art. no.	CW	KSt	BL	TL	kg	PU
101640	<b>5</b>	0,4	75	170	0,056	1
101642	<b>6</b>	1,2	100	205	0,090	1
101644	<b>7</b>	1,2	125	230	0,109	1
101646	<b>8</b>	1,2	150	270	0,160	1
101648	<b>9</b>	1,6	175	295	0,170	1
101650	<b>10</b>	1,6	200	320	0,238	1

### 2-component cross slotted screwdrivers Phillips

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated, engraving on the blade ensures extra grip in the screw



Art. no.	size	BL	TL	form	kg	PU
101684	<b>0</b>	60	145	PH	0,032	1
101686	<b>1</b>	80	175	PH	0,055	1
101688	<b>2</b>	100	205	PH	0,087	1
101690	<b>3</b>	150	270	PH	0,161	1

### 2-component cross slotted screwdrivers Pozidriv

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated



Art. no.	size	BL	TL	form	kg	PU
102612	<b>1</b>	80	175	PZ	0,055	1
102614	<b>2</b>	100	205	PZ	0,088	1
102616	<b>3</b>	150	270	PZ	0,160	1

## 2-component screwdrivers

### 2-component screwdrivers Tx with security pin

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated with black point



Art. no.	size	BL	TL	form	kg	PU
101229/6	<b>6</b>	100	185	TX	0,036	1
101230	<b>8</b>	100	185	TX	0,036	1
101200	<b>9</b>	100	185	TX	0,036	1
101202	<b>10</b>	100	195	TX	0,057	1
101204	<b>15</b>	100	195	TX	0,054	1
101206	<b>20</b>	100	195	TX	0,058	1
101208	<b>25</b>	125	195	TX	0,064	1
101210	<b>27</b>	125	230	TX	0,093	1
101211	<b>30</b>	150	255	TX	0,093	1

### 2-component screwdrivers Square

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated with black point



Art. no.	size	BL	TL	form	kg	PU
103130	<b>0</b>	60	145	SQ	0,032	1
103132	<b>1</b>	80	175	SQ	0,055	1
103134	<b>2</b>	100	205	SQ	0,087	1
103136	<b>3</b>	150	270	SQ	0,161	1

### 2-component screwdriver set Tx

screwdriver set Tx with security pin, with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, chrome plated, 5-pieces.

#### Contents:

1 screwdriver each

Tx 10, Tx 15, Tx 20, Tx 25, Tx 30



Art. no.	form	set	kg	PU
101212/S	TX	<b>5-pieces</b>	0,337	1

### 2-component Electricians' screwdrivers

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, blade black PVC covered



Art. no.	CW	KSt	BL	TL	kg	PU
101520	<b>2,5</b>	0,4	75	160	0,027	1
101521	<b>3</b>	0,5	100	195	0,030	1
101522	<b>4</b>	0,8	100	195	0,051	1
101524	<b>4</b>	0,8	125	220	0,054	1
101526	<b>5</b>	1,0	150	245	0,068	1
101528	<b>5</b>	1,0	175	270	0,072	1
101530	<b>5</b>	1,0	200	295	0,078	1

### 2-component Engineers' screwdrivers

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, blade black PVC covered



Art. no.	CW	KSt	BL	TL	kg	PU
101532	<b>5</b>	1,0	75	170	0,057	1
101534	<b>6</b>	1,2	100	205	0,091	1
101536	<b>7</b>	1,2	125	230	0,114	1
101538	<b>8</b>	1,2	150	270	0,146	1
101540	<b>9</b>	1,6	175	295	0,210	1
101541	<b>10</b>	1,6	200	320	0,214	1

### 2-component cross slotted screwdrivers Phillips

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, blade black PVC covered, engraving on the blade ensures extra grip in the screw



Art. no.	size	BL	TL	form	kg	PU
101542	<b>0</b>	60	145	PH	0,032	1
101544	<b>1</b>	80	175	PH	0,059	1
101546	<b>2</b>	100	205	PH	0,091	1
101548	<b>3</b>	150	270	PH	0,147	1

### 2-component cross slotted screwdrivers Pozidriv

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, blade black PVC covered



Art. no.	size	BL	TL	form	kg	PU
101550	<b>1</b>	80	175	PZ	0,056	1
101552	<b>2</b>	100	205	PZ	0,088	1
101554	<b>3</b>	150	270	PZ	0,146	1

**haupa**

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com



## 2-component screwdrivers

### 2-component Screwdriver set



with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, blade black PVC covered.

#### Contents:

2 electricians' screwdrivers  
2 engineers' screwdrivers  
2 screwdrivers Phillips



Art. no.	form	set	kg	PU
101560	Phillips	<b>6-pieces</b>	0,431	1

### 2-component Screwdriver set



with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, blade black PVC covered.

#### Contents:

2 electricians' screwdrivers  
2 engineers' screwdrivers  
2 screwdrivers Pozidriv



Art. no.	form	set	kg	PU
101562	Pozidriv	<b>6-pieces</b>	0,429	1



## 2-component screwdrivers

### 2C-Stubby gasifier screwdrivers



with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished



Art. no.	CW	BL	TL	kg	PU
103120	<b>6</b>	30	80	0,050	1
103122	<b>8</b>	40	90	0,051	1

### 2C-Stubby gasifier cross slot screwdrivers Phillips



with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished



Art. no.	size	BL	TL	form	kg	PU
103080	<b>1</b>	30	80	PH	0,051	1
103082	<b>2</b>	40	90	PH	0,051	1

### 2C-Piercing awls

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished



Art. no.	∅	BL	form	kg	PU
103470	<b>6</b>	100	round	0,083	1
103472	<b>6</b>	100	square	0,085	1



## 2-component socket wrenches

### 2-component socket wrenches

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished



Art. no.	WS	BL	TL	kg	PU
101484	5	125	220	0,105	1
101486	5,5	125	220	0,107	1
101488	6	125	220	0,110	1
101490	7	125	230	0,113	1
101492	8	125	230	0,115	1
101494	9	125	230	0,120	1
101496	10	125	230	0,124	1
103498	11	125	245	0,145	1
101500	12	125	245	0,165	1
101502	13	125	245	0,171	1

### 2-component socket wrenches set

with 2-component handle made from PP/TPE material, blade made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, 7-pieces.

**Contents:** 1 piece each  
5 - 5,5 - 7 - 8 - 10 - 11 - 13 mm



Art. no.	set	kg	PU
101510	<b>7-pieces</b>	0,898	1



## HAUPA replaceable blade system

### Industrial screwdriver set with replaceable dual blades.

2-component screwdriver shaft with 10 interchangeable blades, hexagonal, Material: bit steel S2, (chrome silicon manganese molybdenum vanadium steel), in a stable metal case. To also use blades in the cordless screwdriver, as a long bit with a blade length of 175 mm. Loose interchangeable blades can be found on page 249.

#### Blade types:

Slotted 3, 4, 5, 7  
Phillips 0, 1, 2, 3  
Pozidriv 0, 1, 2, 3  
Tx 10, 15, 20, 25  
Hexagonal 2, 3, 4, 5



Art. no.	set	kg	PU
104008	<b>11-pieces</b>	1,060	1

**haupa**<sup>®</sup>

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

# INFO

## Dynamometric screwdriver with replaceable blades

The new HAUPA 1000 V VarioTQ dynamometric screwdriver is characterised by its precision and functionality.

The ergonomic handles can be adjusted individually.

1. 1.0 - 6.0 Nm
2. 0.5 - 3.5 Nm

HAUPA offers all relevant blade tip profiles as individual items and in set form in a high-quality nylon case.



### VarioTQ

- torque can be set using a separate key
- scale value can easily be read off
- clearly perceptible and audible signal when the set torque is achieved
- torque accuracy according to EN ISO 6789:2013-10

#### Replaceable dual blades

made from molybdenum-vanadium steel, sanded blade, hardened, blast-finished, chrome plated with black point



#### Precisely adjustable torque

Two handle versions, also available individually:

**Art. no. 103070**  
1.0 - 6.0 Nm

**Art. no. 103072**  
0.5 - 3.5 Nm

## HAUPA replaceable blade system „VarioTQ“

### „VarioTQ“ dynamometric screwdriver with replaceable blades

#### VarioTQ

replaceable dual blades made from molybdenumvanadium steel, sanded blade, hardened, blast-finished, chrome plated with black point, with hexagonal shaft, in robust nylon bag (with belt loop and hook and loop closure), 10 replaceable blades (20 profiles)

#### Contents:

- 2-component exchangeable handle 1 - 6 Nm or 0,5 - 3,5 Nm
- slotted 3/4 - 5,5/6,5
- PH0/PH1
- PZ0/PZ1
- PH2/PZ2
- TX 10/15 - 20/25
- HEX 2/3 - 4/5
- PZ/FL1
- PZ/FL2
- Square socket key



Art. no.	form	Nm	set	kg	PU
103000	Mix	<b>1 - 6</b>	12-pieces	0,765	1
103002	Mix	<b>0,5 - 3,5</b>	12-pieces	0,765	1

## Replaceable blade

insulated replaceable blade made from molybdenum vanadium steel, hardened, blasted, individually tested, for art. 103000, 103002, 104008, 103070, 103072



### Replaceable blade - pozidrive blade/slotted

Art. no.	form	size	BL	kg	PU
103028	PZ/FL	1 + 2	175	0,040	1



### Replaceable blade - slotted blade

Art. no.	form	CW	BL	kg	PU
103010	SL	3 + 4	175	0,040	1
103012	SL	5,5 + 6,5	175	0,040	1



### Replaceable blade - Phillips blade

Art. no.	form	size	BL	kg	PU
103014	PH	0 + 1	175	0,040	1



### Replaceable blade - pozidrive blade

Art. no.	form	size	BL	kg	PU
103016	PZ	0 + 1	175	0,040	1



### Replaceable blade - Phillips blade/pozidrive blade

Art. no.	form	size	BL	kg	PU
103018	PH + PZ	2 + 2	175	0,040	1



### Replaceable blade - torx blade

Art. no.	form	size	BL	kg	PU
103020	TX	10 + 15	175	0,040	1
103022	TX	20 + 25	175	0,040	1



### Replaceable blade - hex blade

Art. no.	form	size	BL	kg	PU
103024	HEX	2 + 3	175	0,040	1
103026	HEX	4 + 5	175	0,040	1



### Replaceable blade - Square

Art. no.	form	size	BL	kg	PU
103030	SQ	0 + 2	175	0,185	1
103032	SQ	1 + 3	175	0,185	1

## „VarioTQ“ nylon bag - empty

Robust nylon bag (with belt loop) wide hook and eye fastening and loop for hanging up



Art. no.	kg	PU
103034	empty	0,080 1

## 2-component exchangeable „VarioTQ“ handle

TQ

automatic locking mechanism ensures that blades do not fall out unexpectedly, ergonomically formed 2 component book of PP/TPE material, precisely adjustable torque



TQ

Art. no.	TL	Nm	kg	PU
103070	125	1 - 6	0,185	1
103072	125	0,5 - 3,5	0,185	1

## Square socket key

for adjustment of the torque for VarioTQ replacement blades



Art. no.	form	BL	BL	kg	PU
102784	SQ	40	8	0,056	1

haupa®

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com



## Electronic screwdrivers


### INFO

#### ESD electronic screwdrivers

Now with 2-component handle, these screwdrivers do not just convince because of their homogenous design, but also because of their user-friendly handle.

#### Benefits:

- chrome molybdenum vanadium steel
- blades hardened throughout
- two component handles, hard and soft components
- permanently discharging special synthetic material
- Quick rotating zone
- rotating centring head with recessed grip
- black precision tips
- chromed blade



#### Security advice:

HAUPA ESD screwdrivers are not insulating and therefore unsuitable for work with live parts.

#### ESD electronic screwdrivers

Blade made from chrome molybdenum vanadium steel, chromed with black tip, slotted



Art. no.	CW	BL	TL	kg	PU
100704	<b>0,8</b>	60	150	0,023	1
100250	<b>1,0</b>	50	150	0,014	1
100704 A	<b>1,2</b>	60	150	0,021	1
100241	<b>2,5</b>	60	150	0,015	1
100243	<b>3,5</b>	100	150	0,018	1
100252	<b>1,6</b>	50	150	0,014	1
100257	<b>2,0</b>	50	150	0,015	1
100259	<b>2,4</b>	75	175	0,017	1
100261	<b>3,0</b>	50	200	0,020	1

#### ESD electronic screwdrivers


Blade made from chrome molybdenum vanadium steel, chromed with black tip, cross recess, Philipps



Art. no.	size	BL	TL	form	kg	PU
100714	<b>000</b>	50	150	PH	0,015	1
100715	<b>00</b>	50	150	PH	0,022	1
100716	<b>0</b>	50	150	PH	0,024	1
100249	<b>1</b>	50	150	PH	0,017	1

#### ESD electronic screwdrivers

Blade made from chrome molybdenum vanadium steel, chromed with black tip, hexagonal



Art. no.	size	BL	TL	form	kg	PU
100728	<b>1,5</b>	50	150	HEX	0,014	1
100729	<b>2,0</b>	50	150	HEX	0,015	1
100729 A	<b>2,5</b>	50	150	HEX	0,017	1
100736	<b>3,0</b>	50	150	HEX	0,020	1

#### ESD electronic screwdrivers

Blade made from chrome molybdenum vanadium steel, chromed with black tip, Tx/Safety Tx



Art. no.	size	BL	TL	form	kg	PU
100741	<b>4</b>	50	150	TX	0,017	1
100742	<b>5</b>	50	150	TX	0,018	1
100718 A	<b>6</b>	50	150	TX	0,018	1
100720	<b>7</b>	50	150	S-TX	0,014	1
100721	<b>8</b>	50	150	S-TX	0,018	1
100712	<b>9</b>	50	150	S-TX	0,018	1
100713	<b>10</b>	50	150	S-TX	0,016	1
100723	<b>15</b>	50	150	S-TX	0,020	1
100734	<b>20</b>	50	150	S-TX	0,020	1

#### ESD electronic screwdrivers

Blade made from chrome molybdenum vanadium steel, chromed with black tip, Tri-Wing



Art. no.	size	BL	TL	kg	PU
100738	<b>2,4</b>	50	150	0,017	1

#### ESD electronic screwdriver set

Blade made from chrome molybdenum with 2-component handles, 7-pieces, slotted/cross recess.

#### Contents:

1 ESD electronic screwdriver each 1.6 x 50, 2.0 x 50, 2.4 x 50, 3.0 x 50 and 1 Phillips size 1.0 and 00 x 50 each



Art. no.	set	kg	PU
104010	<b>7-pieces</b>	0,225	1



## Precision screwdrivers

### HAUPA Electronic screwdriver set standard



chrome vanadium steel, chrome-plated, with large plastic handle, with black point, 7 pieces.

#### Contents:

1 Electricians' screwdriver size 1.6 x 50, 2.0 x 50, 2.4 x 50, 3.0 x 50, and 1 Phillips size 1, 0 and 00 x 50



Art. no.	set	kg	PU
104000	<b>7-pieces</b>	0,221	1

### Electronic screwdriver set



Chrome vanadium steel, screw holder with black /green plastic handle, 4 x hex head 3, 4, 5, 6 and 8 exchangeable screwdriver blades (slot/Phillips/Tx/hex head)



Art. no.	set	kg	PU
104004	<b>13-pieces</b>	0,288	1

### Electronic screwing bit set



Chrome vanadium steel, screw holder with black/green plastic handle, 1 bit holder, 2 nuts of 5 + 6 mm, 30 bits for slot/Phillips/Pozidriv/Tx/hex head



Art. no.	set	kg	PU
104002	<b>34-pieces</b>	0,230	1

### Flexible screwdrivers „Piccolo“



with pliable, plastic coated shank, plastic handle



Art. no.	CW	BL	TL	kg	PU
100364	<b>2,8</b>	125	205	0,020	1

### Claw retrievers

with inflexible shaft, chrome-plated, for gripping and retrieving of small parts in normally inaccessible places



Art. no.	TL	kg	PU
100366	525	0,050	1

### Checking mirrors

with double ball joint



Art. no.	TL	Ø	kg	PU
100680	210	60	0,028	1

### Checking mirrors

with illumination, flexible shaft and plastic handle, 3 interchangeable mirrors Ø 14-23-30 mm, with battery



Art. no.	TL	Ø	kg	PU
100684	530	12	0,169	1

### Magnetic retriever

flexible shaft and plastic handle



Art. no.	TL	Ø	kg	PU
100694	520	12	0,097	1



**haupa**<sup>®</sup>

**...convincing solutions**

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

# Allen keys

## Allen keys set

chrome vanadium steel, (59 Cr-Mo-V 4), DIN 911, chrome plated, on key ring.

### Contents:

size 2,5 - 3 - 4 - 5 - 6 - 8 - 10



Art. no.	size	quantity	kg	PU
100640	2,5-10	8	0,250	1

## Allen keys set

chrome vanadium steel, (59 Cr-Mo-V 4), im metal clip, key bronzed, DIN 911.

### Contents:

Art. 100630: 2,5-3-4-5-6-8 mm  
 Art. 100633: 1,5-2,5-3-4-5-6 mm  
 Art. 100634: 2,5-3-4-5-6-8-10 mm



Art. no.	size	quantity	kg	PU
100630	2,8-8	6	0,249	1
100633	1,5-6"	7	0,145	1
100634	2,5-10"	7	0,335	1

## Allen keys set

chrome vanadium steel, (59 Cr-Mo-V 4), im metal clip, key bronzed, DIN 911.

### Contents:

Art. 100632: 3/32-1/8-5/32-3/16-1/4-5/16" AF  
 Art. 100635: 1/16-5/64-3/32-1/8-5/32-3/16-7/32" AF  
 Art. 100636: 3/32-1/8-5/32-3/16-1/4-5/16-3/8" AF



Art. no.	size	quantity	kg	PU
100632	3/32"-5/16"	6	0,251	1
100635	1/16"-7/32"	7	0,135	1
100636	3/32"-3/8"	7	0,328	1

## Key set Tx

chrome vanadium steel, (59 Cr-Mo-V 4), in metal-clip, surface black, keys black.

### Contents:

TX 9 - 10 - 15 - 20 - 25 - 27 - 30 - 40



Art. no.	size	quantity	kg	PU
100943	TX9 - 40	8	0,260	1

## Ball point allen keys

chrome vanadium steel, (59 Cr-Mo-V 4), im metal clip, black keys, DIN 911

### Contents:

size 2.5 - 3 - 4 - 5 - 6 - 8 - 10



Art. no.	size	quantity	kg	PU
100917	2,5-10	7	0,334	1

## Allen keys set

chrome vanadium steel, (59 Cr-Mo-V 4), chrome plated, DIN 911, 8 pieces in handy plastic box, with sliding plexiglasscover.

### Contents:

size 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10



Art. no.	size	quantity	kg	PU
100585	2-10	8	0,303	1

## Ball point allen keys

chrome vanadium steel, (59 Cr-Mo-V 4), DIN 911, chrome-plated, 8 pieces in handy plastic box, with pushable plexiglasscover.

### Contents:

size 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10



Art. no.	size	quantity	kg	PU
100915	2-10	8	0,301	1

## Allen keys set Tx

chrome vanadium steel, (59 Cr-Mo-V 4), 8 pieces in handy plastic box, surface black.

### Contents:

TX 9 - 10 - 15 - 20 - 25 - 27 - 30 - 40



Art. no.	size	quantity	kg	PU
100941	TX9 - 40	8	0,205	1

# Allen keys

## Hexagon screwdriver set T-handle, with spherical head

Made from chrome vanadium steel, completely hardened, chrome plated with 2-component handle, hexagonal with spherical head.

### Contents:

WS: Hex 2, 2.5, 3, 4, 5, 6, 8, 10




Art. no.	size	quantity	kg	PU
100961	2-10	8	0,400	1

## Hexagon angle screwdriver set, with spherical head

Made from chrome vanadium steel, completely hardened, nickel plated, **extra long**, metric, with spherical head, in folding holder.

### Contents:

WS: Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10



Art. no.	size	quantity	kg	PU
100921	1,5-10	9	0,300	1

## Hexagon angle screwdriver set, with spherical head

Made from chrome vanadium steel, blades hardened throughout, nickel plated, **extra long**, metric or AF, with spherical head, in folding holder.

### Content metric:

WS: Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

### Content AF:

WS: Hex 1/16 - 5/64 - 3/32 - 1/8 - 5/32 - 3/16 - 1/4 - 5/16 - 3/8"



Art. no.	size	quantity	kg	PU
100965	1,5-10	9	0,420	1
100967	1/16"-3/8"	9	0,420	1

## Hexagon angle screwdriver set, with spherical head

Made from chrome vanadium steel, blades hardened throughout, nickel plated, metric or AF, with spherical head, in folding holder.

### Content metric:

WS: Hex 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10

### Content AF:

WS: Hex 1/16 - 5/64 - 3/32 - 1/8 - 5/32 - 3/16 - 1/4 - 5/16 - 3/8"



Art. no.	size	quantity	kg	PU
100927	1,5-10	9	0,420	1

## Allen keys DIN 911

chrome vanadium steel, (59 Cr-Mo-V 4), DIN 911, chrome plated



Art. no.	TL	WS	Inch	kg	PU
100590	45x14	1,5	1/16"	0,020	1
100592	50x16	2	5/64"	0,020	1
100594	56x18	2,5	3/32"	0,020	1
100596	63x20	3	1/8"	0,030	1
100598	70x25	4	5/32"	0,080	1
100600	80x28	5	3/16"	0,019	1
100602	90x32	6	1/4"	0,028	1
100606	100x36	8	5/16"	0,058	1
100610	112x40	10	3/8"	0,099	1
100612	125x45	12		0,160	1
100614	132x50	13	1/2"	0,202	1

## Ball point allen keys

chrome vanadium steel, (59 Cr-Mo-V 4), DIN 911, chrome plated



Art. no.	TL	WS	Inch	kg	PU
100902	56x18	2,5	3/32"	0,003	1
100903	63x20	3	1/8"	0,005	1
100904	70x25	4	5/32"	0,011	1
100905	80x28	5	3/16"	0,019	1
100906	90x32	6	1/4"	0,029	1
100908	100x36	8	5/16"	0,058	1
100909	112x40	10	3/8"	0,102	1



**haupa**

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

## Voltage testers

### VDE/GS-Voltage testers, VDE-tested 0426/72

with clear-transparent, shock-resistant plastic handle.  
Art. No. 100646, 100648 each in wallet  
Art. No. 100647, 100649 loose



Art. no.	BL	TL	TMA	kg	PU
100646	50x3	140	100-250	0,020	1
100647	50x3	140	100-250	0,016	1
100648	100x3,5	190	100-250	0,037	1
100649	100x3,5	190	100-250	0,032	1

### Voltage tester

Finnish type, Cellidor, only available for Finland



Art. no.	BL	TL	TMA	kg	PU
100645	50x3	140	150-250	0,016	1

### Voltage tester VDE/GS

with retractable screwdriver blade



Art. no.	BL	TL	TMA	kg	PU
100650	25x4	140	100-250	0,020	1

### Voltage testers VDE/GS

5 mm surrounding hand-protection, clip of insulating material, fixed installed scale with dark background



Art. no.	BL	TL	TMA	kg	PU
100700	-	190	125-250	0,036	1



## INFO

### Bits

### Industrial quality

HAUPA-Bits are made of high-alloyed tool steel, best hardened (H Rc 60 - 63). They show very high tenacity and tolerance. The long life speaks of the hard use and quality.



1 box = 10 pieces (self-service packaging)

### Screwdriver bits

DIN 3126, form E 6,3, shank 1/4", 10 pieces on card



Art. no.	size	CW	TL	kg	PU
102110	0,6x4,5	4,5	50	0,104	1
102112	0,8x5,5	5,5	50	0,115	1

### Screwdriver bits

DIN 3126, form E 6,3, shank 1/4", 10 pieces on card



Art. no.	size	TL	kg	PU
102152	PH 1	25	0,062	1
102154	PH 2	25	0,067	1
102156	PH 1 TiN	25	0,064	1
102158	PH 2 TiN	25	0,066	1
102114	PH 1	50	0,105	1
102116	PH 2	50	0,124	1
102160	PH 1 TiN	50	0,106	1
102162	PH 2 TiN	50	0,123	1
102164	PH 1	90	0,180	1
102166	PH 2	90	0,097	1
102168	PH 1 TiN	90	0,063	1
102170	PH 2 TiN	90	0,100	1
102172	PH 1	150	0,251	1
102174	PH 2	150	0,358	1

### Screwdriver bits, red.

DIN 3126, form E 6,3, shank 1/4", 10 pieces on card  
for PH 1 and PH 2



Art. no.	size	TL	kg	PU
102155	2	25	0,064	1



## Screwdriver bits



DIN 3126, form E 6.3, shank 1/4", 10 pieces on card



Art. no.	size	TL	kg	PU
102176	PZ 1	25	0,062	1
102178	PZ 2	25	0,065	1
102180	PZ 1 TiN	25	0,062	1
102182	PZ 2 TiN	25	0,066	1
102118	PZ 1	50	0,107	1
102120	PZ 2	50	0,123	1
102184	PZ 1 TiN	50	0,106	1
102186	PZ 2 TiN	50	0,122	1
102188	PZ 1	90	0,179	1
102190	PZ 2	90	0,231	1
102192	PZ 1 TiN	90	0,177	1
102194	PZ 2 TiN	90	0,229	1
102196	PZ 1	150	0,257	1
102198	PZ 2	150	0,360	1

## Screwdriver bits Tx



DIN 3126, form E 6.3, shank 1/4", 10 pieces on card



Art. no.	size	TL	kg	PU
102200	Tx 15	25	0,061	1
102202	Tx 20	25	0,063	1
102204	Tx 25	25	0,065	1
102208	Tx 30	25	0,070	1
102122	Tx 15	50	0,100	1
102124	Tx 20	50	0,110	1
102126	Tx 25	50	0,112	1

## Bits for PZ slot profile



The PZ/FL profile can only be used for combination screws that were previously screwed with a slot or recessed head PZ type screwdriver. The screws have an inner PZ profile with an additional cross slot that also allows it to be screwed with a slot screwdriver

1 PU (packaging unit) = 2 pieces



Art. no.	size	TL	kg	PU
101874	1	60	0,012	1
101876	2	60	0,013	1
101880	1	90	0,179	1
101882	2	90	0,231	1

## Magnetic holder

with strong magnetic, shank 1/4", form C 6,3 DIN 3126, for holding the screws, socket made of stainless steel, suitable for all



Art. no.	TL	kg	PU
102130	75	0,056	1

## SDS magnetic holder

with strong permanent magnet, bit holder 1/4", form C 6.3 DIN 3126, to hold screws, rust-free, stainless steel sleeve, suitable for SDS bits holders



Art. no.	TL	kg	PU
102131	55	0,045	1

## Magnetic holder

with strong magnetic, shank 1/4", form C 6.3 DIN 3126, for holding the screws, socket made of stainless steel, with inside ring, suitable for all



Art. no.	TL	kg	PU
102132	75	0,045	1
102134	60	0,040	1

## HAUPA „BitBox“

**BitBox**

### Description:

- Belt clip
- Ergonomic (with the opening of the box the bits will be moved in 45° angle, easy pick up position)
- A special mechanism fixes the bits even in an up side down position

### Contents:

Screwdriver bits, form E 6.3, shank 1/4", 25 mm  
 PH: 1, PH 2, PH 3  
 PZ: 1, PZ 2, PZ 3  
 Tx: 10, T 15, T 20, T 25  
 slotted: 4.0 (0.5), 5.0 (0.8), 5.0 (1.0), 6.0 (1.0)  
 hexagon: 4.0, 5.0, 6.0  
 Magnetic holder 60 mm



Art. no.	set	kg	PU
102210	17-pieces	0,170	1

**haupa**

...convincing solutions



# Ratchet screwdriver, bits

## HAUPA „BitBox+“

**BitBox+**

Sturdy black plastic polypropylene, the constant hinge gives maximum stability. Safety and special bit set - top quality S2!

1/4" = 25 mm Bits

### Contents:

1/4" 25 mm Power bits PH: 2x 0, 2x 1, 4x 2, 2x 3

1/4" 25 mm Power bits PZ: 2x 0, 2x 1, 4x 2, 2x 3

1/4" 25 mm Power bits TX: T10, T15, T20, T25

1/4" 25 mm Power bits HEX: H3, H4, H5, H6

1/4" 25 mm Power bits R: 1, 2, 3



Video 102212



Art. no.	bit	set	kg	PU
102212	= 25 mm	<b>32-pieces</b>	0,400	1

## Ratchet screwdriver „Flex“

**Flex**

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatigue-free working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws. With hanging up hole.

Only for 1/4", = 25 mm Bits.



Art. no.	bit	kg	PU
104005	= 25 mm	0,216	1

## Ratchet screwdriver set „Flex“

**Flex**

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatigue-free working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws. With hanging up hole.

Only for 1/4", = 25 mm Bits.

### Advantages:

- Ratchet function
- Left/clockwise rotation adjustable
- Bending bar: 0° - 45° - 90°
- Ergonomic working within restrained ranges
- S2 steel industry bit for nearly all applications
- 2-components handle
- 55 bits 1/4" 25 mm and 1 adapter for 1/4" nut

Video 104006



Art. no.	bit	set	kg	PU
104006	= 25 mm	<b>58-pieces</b>	0,810	1

# Ratchet screwdriver, bits

## Ratchet screwdriver „FlexPlus“

**FlexPlus**

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatigue-free working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws. With hanging up hole.



Art. no.	bit	kg	PU
104009	> 25 mm	0,216	1

## Ratchet screwdriver set „FlexBag“ with 50 mm S2 bits and reduced shank

**FlexBag**

Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screwing grasp also Quick change penholder and 2-components Handle provides for anti-slip and fatigue-free working. The ergonomic form and the soft zones within the pressure area range make a relaxed possible screws. With hanging up hole.

### Contents:

- 1/4" 50 mm Power bits Tx: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30, T40
- 1/4" 50 mm Power bits Hex (hole): H2, H2.5, H3, H4, H5, H6
- 1/4" 50 mm Power bits PH: 0, 1, 2, 3
- 1/4" 50 mm Power bits PZ: 0, 1, 2, 3
- 1/4" 50 mm Power bits slot: 3, 4, 5, 6, 7, 8
- 1/4" 50 mm Power bits SQ: 0, 1, 2, 3
- 1/4" 50 mm Power bits Tri-Wing: 1, 2, 3
- 1/4" 50 mm Power bits PZ/FL 1 & 2
- Above bits are in reduced shank except T40, H6, flat: 6, 7, 8 in full hex shank
- 2 pcs. Adapters: 1/4" 50 mm, 1/4" 80 mm
- 8 pcs. sockets: 5, 5.5, 6, 7, 8, 10, 12, 13
- 1 pc of FlexPlus ratcheting driver



Video 104020



Art. no.	bit	set	kg	PU
104020	= 50 mm	51-pieces	0,810	1

## Ratchet screwdriver set „FlexBox“

**FlexBox**

Sturdy black plastic polypropylene, the constant hinge gives maximum stability. Ratchet screwdriver with right/left hand motion. Adjustable operating angle of 180°. Safety and special bit set - top quality S2! The screw handle with quick ejection and 2 components ensures non-slip and fatiguefree working. The ergonomic shape and the soft zones guarantee relaxed screwing. With hanging up hole. **Only for 1/4" = 50 mm Bits.**

### Contents:

- 1/4" 50 mm Power bits SL: 4, 6
- 1/4" 50 mm Power bits PZ: 1, 2
- 1/4" 50 mm Power bits PZ/FL 1 + 2
- 1/4" 50 mm Power bits Hex: H5, H6
- 1 pc of „FlexPlus“ ratcheting driver



Video 104030



Art. no.	bit	set	kg	PU
104030	= 50 mm	9-pieces	0,350	1

**haupa®**

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

