

EVO_REAL COLOUR



Code	21762
Lighting technology used:	LED
Non-directional or directional (NDLS / DLS):	DLS
Light source cap-type (or other electric interface):	
Mains or non-mains (MLS / NMLS):	MLS
Dimmable:	only with specific dimmers
On-mode power (Pon), expressed in W	6,5 (W)
Energy consumption (kWh/1000 h)	
A	
Useful luminous flux (Φuse)	
Correlated colour temperature K	

Depth	50 (mm)
L70B50	40000 hours
Claim of equivalent powerc	-
yes	
X	0,458
Y	0,410
Parameters for directional light sources:	
Peak luminous intensity (cd)	620 (cd)
Beam angle in degrees, or the range of beam angles that can be set	60 (°)
Parameters for LED and OLED light sources:	
	(°)
Lumen maintenance factor	0,96
Parameters for LED and OLED mains light sources:	
displacement factor (cos φ1)	0,8
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattaged	-
Colonna1	
Total calculations performed with the parameters, including the determination of the energy efficiency class	
factors total mains (FTM)	1,176



MARINO CRISTAL SPA

Via Guardia del Consiglio, 29/31

47899 - Serravalle

REPUBBLICA DI SAN MARINO

TEL +378 0549 901188

FAX +378 0549 900612

www.marinocrystal.com

marinocrystal@marinocrystal.com

