SCHEDA TECNICA DATA SHEET / FICHE PRODUIT / FICHA PRODUCTO / DATENBLATT





PADLIGHT5, 50W IP65 SMD LED floodlight, black 4000K



×



DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CARACTERISTICAS / SPEZIFIKATIONEN

| On off cycles: | 15000 |
|-----------------|--------|
| Guarantee: | 2 ANNI |
| Width (mm): | 225 |
| Depth (mm): | 50 |
| Height (mm): | 130 |
| Net weight kg): | 0,859 |

DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG

High Brightness: The use of high quality and high efficiency SMD 2835 LEDs make this light particularly bright and long lasting. 4000 lumens and 50W: can replace a traditional 400W incandescent bulb, saving over 85% of energy on your electricity bill. IP65 Waterproof: Made of die-cast aluminum and tempered glass, the headlight is IP65 waterproof, rustproof and surface treated with high quality electrostatic material, can be widely used in indoor and outdoor lighting projects. Perfect Design: Aluminum body with tempered glass diffuser for excellent light transmission. The high quality aluminum makes the lamp more resistant. The nanometer material reflector is safe and durable. Furthermore, the spread is 1. 4 times higher than traditional LED headlights. Good Heat Dissipation: The ultra-thin design and the use of 2835 high auto heat dissipation LEDs ensure the best heat dissipation performance, the headlight can quickly lower the temperature and thus ensures the long life of the headlight and safety in the use. Versatile: With 360 degree adjustable angle, it can be installed on the ceiling, on the wall or placed on the ground. After installation, the projection surface can be adjusted to any angle. Suitable for outdoor use such as gardens, courtyards, squares and piers ... the headlight can quickly lower the temperature and thus ensures the long life of the headlight can quickly lower the temperature and piers in use. Versatile: With 360 degree adjustable angle, it can be installed on the ground. After installation, the projection surface can be adjusted to any angle. Suitable for outdoor use such as gardens, courtyards, squares and piers ... the headlight can quickly lower the temperature and thus ensures the long life of the headlight and safety in use. Versatile: With 360 degree adjustable angle, it can be installed on the ceiling, on the wall or placed on the ground. After installation, the projection surface can be adjusted to any angle. Suitable for outdoor use such as gardens, courtyards, squares and piers

DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN

