



**X-Blast 30W: LED floodlight with 3m cable and French plug. 3000lm**



PACKING	INNER	MASTER
	pcs	pcs
<b>Colour box</b>	<b>N/A</b>	<b>2</b>



## DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CARACTERISTICAS / SPEZIFIKATIONEN

<b>Power supply:</b>	220-240V ~ 50Hz
<b>Type of power supply:</b>	INTERNAL DRIVER
<b>Batteries included:</b>	NO
<b>Light technology:</b>	2835 SMD LED
<b>Power (W):</b>	30
<b>Lumen:</b>	3000
<b>Kelvin degrees:</b>	6500K
<b>Light beam:</b>	DIFFUSE
<b>Beam angle:</b>	120
<b>LED Life time (hrs):</b>	25000
<b>Materials:</b>	PLASTIC - PC
<b>Dimmable:</b>	NO
<b>Insulation class:</b>	I
<b>Colour:</b>	YELLOW
<b>Switch:</b>	YES
<b>Protection degree (IP):</b>	IP54
<b>Guarantee:</b>	2 ANNI
<b>Product width (mm):</b>	224
<b>Product depth (mm):</b>	218
<b>Product height (mm):</b>	98
<b>Net weight kg):</b>	1,45

**DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG**

Power: X-Blast 30W is a construction site floodlight that mounts Osram LEDs. 30W and 3000 real lumens: a real light on your construction site; aircraft grade aluminum heatsink for better heat dissipation. Diffuser: X-Blast is a floodlight type projector; it therefore serves to illuminate a surface such as a wall or a room; polycarbonate diffuser and 120 ° high performance reflector for a shadowless and homogeneous light; light 6500K. Ideal for construction and craft work, for do-it-yourself or car repairs; outdoors, it is recommended for work on the facades, rescue, road works, but also for camping; you can use it wherever you want intense lighting and protected from water and dust. Equipped with a 3 meter H05RN-3G 1,5mm<sup>2</sup> cable with CEE 7/7 socket, X-Blast can be installed on any tripod; the adjustable support allows you to adjust the light as you need and to carry the projector anywhere, with a minimum footprint; convenient ON / OFF switch and French service socket to connect a tool or other projector in series. X-Blast is hyper-resistant and is proof against water jets according to the IP54 protection class; the shell is in polycarbonate with PVC reinforcements for better impact resistance (IK08), the glass is shockproof and the power cable is fixed with a special thread in the shell; even in case of rain X-Blast continues to illuminate the surrounding environment without any problem.

**DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN**

<b>Tipologia imballo:</b>	Colour box
<b>Length of the packed product (mm):</b>	260
<b>Packed product width (mm):</b>	126
<b>Height of packed product (mm):</b>	225
<b>Peso prodotto imballato (Kg):</b>	1.61
<b>Master quantity:</b>	2
<b>DEEE (France only):</b>	0.25

