



**2000W ceramic wall fan heater. With remote control. White**



PACKING	INNER	MASTER
/	pcs	pcs
<b>Colour box</b>	<b>N/A</b>	<b>N/A</b>



## DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CARACTERISTICAS / SPEZIFIKATIONEN


<b>Product name:</b>	PR190
<b>Power supply:</b>	220V AC
<b>Power supply included:</b>	YES
<b>Type of power supply:</b>	POWER CABLE
<b>(W) Consumption:</b>	2000
<b>Materials:</b>	PLASTIC - OTHER
<b>Insulation class:</b>	II
<b>Power cable length (cm):</b>	140
<b>Cable:</b>	H05VV-F 2X1.0mm <sup>2</sup>
<b>Colour:</b>	WHITE
<b>Switch:</b>	YES
<b>Protection degree (IP):</b>	IP22
<b>Functions:</b>	HOT + FAN
<b>Current (A):</b>	8.3
<b>Plug:</b>	Type E / F - 2 pin (EU Hybrid)
<b>Setting (W):</b>	1000W/2000W
<b>Timer:</b>	NO
<b>Required fuse:</b>	YES
<b>Self-resetting Thermostat:</b>	YES
<b>Air output (m3/ h):</b>	58
<b>Heating area (m2) :</b>	20
<b>Temperature range (°C):</b>	-10°C + 50°C
<b>Guarantee:</b>	2 YEARS
<b>Product width (mm):</b>	500
<b>Product depth (mm):</b>	105
<b>Product height (mm):</b>	170
<b>Net weight kg):</b>	1,844

**DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG**

Wall-mounted fan heater with 2000W ceramic technology. Equipped with digital display, remote control and 24-hour and weekly timer. Adjustable thermostat with 2 power levels: minimum power 1000W and maximum power 2000W. It also has a ventilation function: it is therefore comfortable even in summer! It has IPX2 splash protection, useful for using the heater in bathrooms. Designed with Ceramic Technology (PTC) which offers greater efficiency and safety thanks to its ability to self-regulate the output power based on the increase in temperature. Furthermore, the heat spreads quickly to the desired point. Capable of efficiently heating 20 m2. SAFETY: This heater is equipped with an overheat protection which automatically turns off the appliance in case of overheating. For example: due to total or partial obstruction of the vents. Multifunction: thermostat, 24-hour timer, weekly timer, open window sensor with automatic shut-off device.

**DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN**

<b>Packing type:</b>	Colour box
<b>DEEE (France only):</b>	0.58



## FUNZIONI DISPLAY FUNCTIONS

