






SMD LED bulb, P45 sphere, 8W/806lm, E14 base, 3000K



PACKING 	INNER  pcs	MASTER  pcs
<b>Hangable colour box</b>	<b>10</b>	<b>100</b>



## DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CHARACTERISTICAS / SPEZIFIKATIONEN

Power supply:	220V AC
Batteries included:	YES
Type of power supply:	INTERNAL DRIVER
Light bulb technology:	LED SMD
Power (W):	8
(W) Consumption:	8
Equivalent incandescent power (W):	60
Lumen:	806
Kelvin degrees:	3000K
Colour rendering Index :	>80
Light beam:	DIFFUSE
Beam angle:	180
LED Life time (hrs):	20000
Materials:	PLASTIC + ALUMINIUM
Dimmable:	NO
On off cycles:	>10000
Lamp holder:	E14
Lamp included:	YES
Bulb shape:	P45
Temperature range (°C):	-20C / +40C
Guarantee:	2 YEARS
Product width (mm):	45
Product depth (mm):	45
Product height (mm):	80
Net weight kg):	0,02
Energy rating 2021:	F

**DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG**

With a useful life of 20,000 hours (far beyond other models you will find on the market), the bulb can last more than 15 years (with a daily use of 3 hours). Produces 806 lumens of instant brightness, no need to wait for the bulb to warm up. Opal diffuser that makes the light homogeneous, glare-free and well diffused (180° angle). With a color temperature of 3000 Kelvin, the bulb provides warm white light, creating a cozy atmosphere in any room. Perfect for all rooms in the house such as the bedroom, living room, bathroom... and for the office. Ideal for bedside lamps, cooker hood, desk lamp, chandeliers, sconces... It consumes 8 watts of energy and has an operating cost of less than 2.50 euros per year and provides significant energy savings compared to an incandescent bulb. Equivalent to a traditional 60W bulb. The high color rendering index (CRI > 80) offers natural and vivid color. This bulb is not dimmable, not compatible with dimmers.

**DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN**

<b>Packing type:</b>	Hangable colour box
<b>Length of the packed product (mm):</b>	45
<b>Packed product width (mm):</b>	45
<b>Height of packed product (mm):</b>	82
<b>Inner quantity:</b>	10
<b>Master quantity:</b>	100
<b>ITF INNER:</b>	18003910112800
<b>ITF MASTER:</b>	28003910112807
<b>DEEE (France only):</b>	0.1
<b>Energy Label 2021:</b>	<a href="https://www.velamp.com/energylabels2021/LB408S-30K.jpg">https://www.velamp.com/energylabels2021/LB408S-30K.jpg</a>
<b>Link database eprel:</b>	<a href="http://eprel.ec.europa.eu/qr/https://www.velamp.com/energylabels2021/LB408S-30K.jpg">http://eprel.ec.europa.eu/qr/https://www.velamp.com/energylabels2021/LB408S-30K.jpg</a>

