ST223NG



X-BLAST RECHARGEABLE 30W: Rechargeable LED projector 2400 lm





PACKING 🗍 / 🕾	INNER	MASTER ⊞ pcs
Color box	2	8





DATI TECNICI / SPECIFICATION / CARACTÉRISTIQUES / CARACTERISTICAS / SPEZIFIKATIONEN

Power supply:	AC/DC
Batteries included:	YES
Type of power supply:	AC/DC ADAPTOR +12V CAR ADAPTOR
Battery (capacity mAh):	6000
Battery technology:	LITHIUM-ION
Charging Time (hrs):	4.5
Runtime (hrs):	3
Light technology:	2835 SMD LED
Power (W):	30
Lumen:	2400
Kelvin degrees:	6500K
Light beam:	DIFFUSE
Beam angle:	100°
LED Life time (hrs):	30000
Materials:	PLASTIC - PC
Insulation class:	II.
Colour:	YELLOW
Switch:	YES
Protection degree (IP):	IP65
Accessories included:	220V AND 12V CHARGERS
Functions:	POWERBANK
Lamp included:	YES
Plug:	Type C/EF - 2 pin (Europlug/FR-DE Hybrid
Adjustable tilt:	YES
Guarantee:	2 YEARS
Product width (mm):	260
Product depth (mm):	90
Product height (mm):	230
Net weight kg):	1,36

DESCRIZIONE / DESCRIPTION / DESCRIPTION / DESCRIPCIÓN / BESCHREIBUNG

Power: X-Blast 30W is a rechargeable work light that mounts SMD LEDs. 30W and 2400 real lumens: real light on your site; Aircraft-grade aluminum heatsink for better heat dissipation.Diffuser: X-Blast is a "floodlight" type projector; it is therefore used to illuminate a surface such as a wall or a room; polycarbonate diffuser and high-performance 120° reflector for homogeneous, shadow-free light; 6500K light.Autonomous. 3 hours of lighting guaranteed at full power; quick recharge in 4.5 hours thanks to the special transformer supplied; the projector is fitted with a Li-Ion 7.4V 6Ah type 18650 battery with charge indicator; included: 220V and 12V chargers.X-Blast can be mounted on any tripod; the adjustable stand allows you to adjust the light to your needs as well as carry the projector anywhere, with minimal bulk; convenient on/off switch; Convenient 2A output powerbank to quickly charge your phone on the jobsite.X-Blast is extremely resistant and resistant to water jets according to protection class IP65; the shell is made of polycarbonate with PVC reinforcements for greater impact resistance (IK08), the diffuser is shockproof and the power cable is fixed with a special thread in the shell; even in the event of rain, X-Blast continues to illuminate the environment without any problem.

DATI LOGISTICI / LOGISTIC INFORMATION / DONNEES LOGISTIQUES / DATOS LOGÍSTICOS / LOGISTISCHE DATEN

Packing type:	Color box
Inner quantity:	2
Master quantity:	8
ITF INNER:	18003910112589
ITF MASTER:	28003910112586
DEEE (France only):	0.21















