

Cookies help us to provide our services. By using these services, you accept our use of cookies. [Info](#)

[←](#) BACK

CODE 11202

M 100/4" LL

Wall/window axial fans

- [i](#) Description
- [i](#) Certifications
- [i](#) Technical Data Sheet
- [i](#) Accessories



DOCUMENTATION a

1 2 3 4 5 6

[other images](#)





PRODUCTS > RESIDENTIAL VENTILATION > AXIAL FANS > WALL / WINDOW

Description

- Material: UV resistant plastic (prevents ageing caused by exposure to sunlight).
- Nominal diameter 100 mm.
- Motor protected against thermal overload, with shaft turning in ball bearings (LL), coupled to screw type thermoplastic impeller with wing profile blades.
- Maximum air flow: 90 m³/h.
- IMQ SAFETY and IMQ PERFORMANCE certifications
- Vortice speed controller.

[Read full description](#)

Certifications

	IMQ
	CE a
	IMQ Performance
	EAC
<input type="checkbox"/>	G-Mark



Technical Data Sheet

[Technical and performance data](#)
 [Energy data](#)
 [Dimensions](#)
 [Curves](#)

Absorbed Current max (A)	0,1	Voltage (V)	230-240
Absorbed Power max (W)	18	Weight (Kg)	0,6
Frequency (Hz)	50	Delivery max (l/s)	25
Insulation Class	II°	Delivery max (m ³ /h)	90
IP	X4	Pressure max (mmH2O)	3
Max ambient temperature for continuous operation (°C)	50	Pressure max (Pa)	29
Nominal Diameter (mm)	100	RPM	2300
∅ Discharge Hole (mm)	99	Sound Pressure level Lp [dB (A)] 3m	37,5

Interested?

If you are interested in this product, contact us or locate your nearest Vortice dealer.

[CONTACT US](#)

Documentation

You can see all the documentation relating to this product: price list, information booklet and wiring diagram.

[DOCUMENTATION](#)

[a](#)

Accessories

Discover accessories related to the product



SCNRB SCAT.COM.NON REV.INCASSO

• Non-reversible electronic speed controller. • Built-in.

[Go to data sheet](#) **d**



C 1.5 (COMANDO EL. 1.5 A)

Electronic speed controller. Maximum load: 1.5 A.

[Go to data sheet](#) **d**



KIT SCB (TRASF.E.C.)

• Built-in controller adaptor.

[Go to data sheet](#) **d**



S 100/4

• Ceiling kit made of soft rubber to prevent water infiltration and to maintain IPX4 protection on all surfaces.

[Go to data sheet](#) **d**

[Find distributor](#) **d**

[Register for the Newsletter](#) **d**

[Contact us](#) **d**

[Work with us](#) [Technical area](#) [Privacy](#) [Sitemap](#)

Select country:

[International](#) [Italy](#) [United Kingdom](#) [China](#) [Latam](#)

© 2019 Vortice - All Rights Reserved - P.iva IT04474410968

Websolute