


Technical Data Sheet

CODE 11282

VORT HRI 350 FLAT

Ceiling-mounting residential heat recovery units




Certifications



TECHNICAL AND PERFORMANCE DATA

Absorbed Current max (A)	2,0	Delivery max (m ³ /h)	380
Absorbed Power max (W)	250	Pressure max (mmH ₂ O)	56,0
Frequency (Hz)	50	Pressure max (Pa)	550
Max ambient temperature for continuous operation (°C)	50	Sound power level - radiated L _w [dB(A)]	51,0
Nominal Diameter (mm)	150	Sound power level exhaust inlet L _w [dB(A)]	37,8
Voltage (V)	230	Sound power level supply outlet L _w [dB(A)]	37,2
Weight (Kg)	33	Sound pressure level air extraction L _p in free field [dB (A)] 3m - max speed	17,3
Delivery max (l/s)	105	Sound pressure level air supply L _p in free filed [dB (A)] 3m - max speed	16,7
		Sound pressure level radiated L _p in free filed [dB (A)] 3m - max speed	30,5

DIMENSIONS



Diametro Ø (mm)	150
Size A (mm)	1183
Size B (mm)	740
Size C (mm)	288
Size D (mm)	1287
Size E (mm)	650

PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: prevendita@vortice-italy.com

Technical Data Sheet

CODE 11282

VORT HRI 350 FLAT


Ceiling-mounting residential heat recovery units



DESCRIPTION

- Sheet steel housing, internally insulated, fire resistant according with DIN EN 13501.
- High efficiency backward curved centrifugal fans driven by 3 speeds EC (brushless) motors.
- High efficiency plastic cross-counterflow heat exchanger.
- Automatic thermodynamic by-pass.
- Integrated frost protection.
- Nominal diameter of duct connections 125 mm.
- 2xM5 filters (F7 inlet filter available as option), easy to replace.
- Remote, wired control panel allowing:
 - o To Switch on/off the product
 - o To select the fan speeds
 - o To show the filters status
- Brackets for suspended installation.

CURVES



ACCESSORIES



FTR F7
230X250X48
Code 22628



ELECTRIC
HEATER 750
Code 22735

PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)
Pre & Post Vendita: fax +39 02 90699302
Email prevendita: prevendita@vortice-italy.com