

# Technical Data Sheet

CODE 45314

## VORT QBK POWER 12/12 1V 1,5

Belt driven cabinet fans



### Certifications



CE




EAC

### TECHNICAL AND PERFORMANCE DATA

Frequency (Hz)	50	Number of Phases (Ph)	3
Max ambient temperature for continuous operation (°C)	40	Number of speeds	1
Motor Class	F	Voltage (V)	230/400
Motor IP protection	55	Delivery max (l/s)	1944
Nominal Current (A)	3,45	Delivery max (m³/h)	7000
Nominal Power (W)	1500	RPM max	1150
		Sound pressure level air extraction Lp [dB (A)] 1m - max speed	75

### DIMENSIONS



Size A (mm)	1040
Size B (mm)	790
Size C (mm)	790
Size D (mm)	395
Size E (mm)	340

#### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)

# Technical Data Sheet

CODE 45314

## VORT QBK POWER 12/12 1V 1,5







Belt driven cabinet fans

### DESCRIPTION

- Cabinet fabricated from extruded aluminium angle sections (UNI 9006) and zinc-coated sheet metal panels, insulated with polyethylene sound absorbent padding, surface finish self-adhesive metal foil, Class I.
- 1 speed three-phase AC motor, coupled by way of belt and pulley drive to a forward-bladed double inlet centrifugal impeller.
- Maximum air flow: 7,000 m<sup>3</sup>/h.

### ACCESSORIES



←

**QBK ABC 10/10-  
12/12  
(MANICOTTO  
CON RETE)**  
Code 24202

**QBK RRC  
POWER 12/12  
(TETTO)**  
Code 24217

**QBK VCD  
POWER 12/12  
(SERRANDA+COMANDO)**  
Code 24224

**QBK IG POWER  
12/12 (GRIGLIA  
MISURAZIONE)**  
Code 24232

→

#### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)  
Pre & Post Vendita: fax +39 02 90699302  
Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)