

# Technical Data Sheet

CODE 45315

## VORT QBK POWER 12/12 1V 2,2

Belt driven cabinet fans




### Certifications



### TECHNICAL AND PERFORMANCE DATA

|   |      |  |         |
|---|------|--|---------|
| Frequency (Hz)  | 50   | Number of Phases (Ph)  | 3       |
| Max ambient temperature for continuous operation (°C) | 40   | Number of speeds   | 1       |
| Motor Class   | F    | Voltage (V)  | 230/400 |
| Motor IP protection                                   | 55   | Delivery max (l/s)   | 1944    |
| Nominal Current (A)                                   | 4,84 | Delivery max (m³/h)  | 7000    |
| Nominal Power (W)                                     | 2200 | RPM max  | 1150    |
|   |      | Sound pressure level air extraction Lp [dB (A)] 1m - max speed | 76      |

### DIMENSIONS



|             |      |
|-------------|------|
| Size A (mm) | 1040 |
| Size B (mm) | 790  |
| Size C (mm) | 790  |
| Size D (mm) | 395  |
| Size E (mm) | 340  |

#### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)

# Technical Data Sheet

CODE 45315

## VORT QBK POWER 12/12 1V 2,2







Belt driven cabinet fans

### DESCRIPTION

- Cabinet fabricated from extruded aluminium angle sections (UNI 9006) and zinc-coated sheet metal panels, insulated with polyethylene sound absorbent padding, surface finish self-adhesive metal foil, Class I.
- 1 speed three-phase AC motor, coupled by way of belt and pulley drive to a forward-bladed double inlet centrifugal impeller.
- Maximum air flow: 7,000 m<sup>3</sup>/h.

### ACCESSORIES



← QBK ABC 10/10-  
12/12  
(MANICOTTO  
CON RETE)  
Code 24202

QBK RRC  
POWER 12/12  
(TETTO)  
Code 24217

QBK VCD  
POWER 12/12  
(SERRANDA+COMANDO)  
Code 24224

QBK IG POWER  
12/12 (GRIGLIA)  
(SERRANDA)  
Code 24232



#### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)  
Pre & Post Vendita: fax +39 02 90699302  
Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)