

# Technical Data Sheet

CODE 45342

VORT QBK POWER 9/7 2V  
0,55



Belt driven cabinet fans



UL LISTED


CE CE

EAC EAC

## TECHNICAL AND PERFORMANCE DATA

Frequency (Hz)	50	Nominal Power at min speed (W)	500
Max ambient temperature for continuous operation (°C)	40	Number of Phases (Ph)	3
Motor Class	F	Number of speeds	2
Motor IP protection	55	Voltage (V)	400
Nominal Current at max speed (A)	1,4	Max delivery at max speed (l/s)	694
Nominal Current at min speed (A)	0,7	Max delivery at max speed (m³/h)	2500
Nominal Power at max speed (W)	190	RPM max	1520
		Sound pressure level air extraction Lp [dB (A)] 1m - max speed	72

## DIMENSIONS



Size A (mm)	790
Size B (mm)	600
Size C (mm)	600
Size D (mm)	235
Size E (mm)	265

### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)

# Technical Data Sheet

CODE 45342

## VORT QBK POWER 9/7 2V 0,55






Belt driven cabinet fans

### DESCRIPTION

• Cabinet fabricated from extruded aluminium angle sections (UNI 9006) and zinc-coated sheet metal panels, insulated with polyethylene

• 2 speed three-phase AC motor, coupled by way of belt and pulley drive to a forward-bladed double inlet centrifugal impeller.

### ACCESSORIES



← QBK ABC 7/7-9/9  
(MANICOTTO CON RETE)  
Code 24200

QBKRRC POWER 9/7-9/9  
(TETTUCCIO)  
Code 24215

QBKVCD POWER 9/7-9/9  
(SERRANDA+COMANDO)  
Code 24222

QBK IG POWER 9/7-9/9  
(GRIGLIA ASPIRAZ.)  
Code 24230



#### PER INFORMAZIONI:

Servizio al Cliente: tel +39 02 90699395 premendo 1 dopo messaggio registrato (consulenza su prodotti e impianti)

Pre & Post Vendita: fax +39 02 90699302

Email prevendita: [prevendita@vortice-italy.com](mailto:prevendita@vortice-italy.com)