



PREMIUM S RANGE

Automatic soap dispenser

Wall-mounted electric soap dispenser, the perfect complement to Vortice dryers.

- Amount of soap dispensed can be set during installation.
- Amount of soap dispensed can be set during installation.
- Easily adjustable dispense quantity..



PREMIUM S DISPENSER cod. 19228

TECHNICAL FEATURES

- 1 model.
- Front cover made of white shock-proof plastic resin (ABS) with anti-UV treatment.
- Plastic resin wall flanges.
- Peristaltic pump for soap dispensing.
- Automatic operation: the control electronics have an infrared sensor that detects the user's hands in the area under the product and starts dispensing soap. The activation distance can be adjusted during installation using a trimmer inside the product.
- Removable soap container for easy maintenance.
- Drip collector included.
- Overflow protection: there is no danger of short circuiting the system if the soap container is over-filled.
- Safety certified by third party entity (CE).
- Protection rating from dust and water: IPX4.
- Class of electrical insulation: II (earthing not required).






PREMIUM S RANGE

Automatic soap dispenser

TECHNICAL DATA

MODELS	CODE	V~50/60HZ	W MAX	A MAX	SOAP CONTAINER CAPACITY L	W STAND-BY	IK	KG
PREMIUM S DISPENSER	19228	220-240	6	-	0.50	0.3838	9	1.2

DIMENSIONS



MODELS	CODE	A	B	C	D	A ₁	B ₁	C ₁
PREMIUM S DISPENSER	19228	181	257	91	159	-	-	-
RACCOGLI GOCCIA	-	-	-	-	-	135	50	135

Dimensions (mm)