



VORT FHON RANGE

Gun-type wall mounted hair dryers

Gun-grip hair dryer with wall holder and spiral cord, available in two maximum power versions (1,200 W and 1,600 W) and in versions with or without an electric razor socket, suitable for installation in hotel bathrooms and in public area bathrooms such as in swimming pools, gyms, wellness centres, etc.

- Different selectable power levels.
- Ergonomic grip.
- Compliant with the requirements of European Regulation No. 1275/2008/EU.



VORT FOHN 1200
cod. 70922



VORT FOHN 1200 PLUS
cod. 70924

Plus models are
equipped with two
razor sockets.

TECHNICAL FEATURES

- 4 models with different maximum power supplied and with or without electric razor socket.
- Gun-grip made of self-extinguishing (V0), shock-proof (ABS) plastic resin.
- ABS wall holders.
- Nozzle made of thermoplastic material (PP) in VORT FOHN 1200 VORT FOHN 1200 PLUS models.
- Nozzles made of plastic (ABS) self-extinguishing (V0) resin in VORT FOHN 1600 and VORT FOHN 1600 PLUS models.
- Thermally protected 2-speed commutator motor.
- Heating elements protected by automatic reset thermal cut-out.
- Start buttons built into gun grip (for safety reasons the product shuts off when the button is released).
- Power selection buttons: 2 options (600W and 1,200W) in VORT FOHN 1200 and VORT FOHN 1200 PLUS models, 3 options (from 750W to 1,550W), different depending on the fan operating speed on VORT FOHN 1600 and VORT FOHN 1600 PLUS models.
- Fan speed selection buttons (VORT FOHN 1600 and VORT FOHN 1600 PLUS models).
- Socket for electric razors compatible with 230 V/50 Hz and 120 V/60 Hz power (VORT FOHN 1200 PLUS and VORT FOHN 1600 PLUS models).
- Wall holder switch disconnects the mains power supply.
- Dust filters.
- Safety certified by third party entity (CE).
- Protection rating from dust and water: IPX0.
- Class of electrical insulation: II (earthing not required).






VORT FOHN RANGE

Gun-type wall mounted hair dryers

TECHNICAL DATA


MODELS	CODE	V~50HZ	W TOTAL	W MOTOR	A MAX	MAX AIRFLOW		Lp dB(A) 1 m	KG
						m³/h	l/s		
VORT FOHN 1200	70922	230	1200	20	5.22	94	26	71	0.46 + 0.63
VORT FOHN 1200 PLUS	70924	230	1200	20	5.22	94	26	71	0.46 + 0.63
VORT FOHN 1600	70923	230	1600	20	6.95	90	-	69	0.49 + 0.23
VORT FOHN 1600 PLUS	70925	230	1600	20	6.95	90	-	69	0.49 + 0.23

DIMENSIONS



MODELS	CODE	A	B	C	D	E	F	A ₁	B ₁	C ₁
VORT FOHN 1200	70922	95	230	250	230	165	500	-	-	-
VORT FOHN 1200 PLUS	70924	95	230	250	230	165	500	-	-	-
SUPPORTO	-	-	-	-	-	-	-	100	180	140

Dimensions (mm)



MODELS	CODE	A	B	C	D	E	F	A ₁	B ₁	C ₁
VORT FOHN 1600	70923	110	290	290	276	265	520	-	-	-
VORT FOHN 1600 PLUS	70925	110	230	290	276	265	520	-	-	-
SUPPORTO	-	-	-	-	-	-	-	100	180	140

Dimensions (mm)